



Accesorios PP • Svěrné spojky z PP • Raccords PP

SLIP COUPLING
OPRAVNÁ SPOJKA
MANCHON DE RÉPARATION



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
725050A	50	15	6,09	B 0,037
725063A	63	17	13,04	A 0,074
725075A	75	14	14,72	A 0,074
725090A	90	8	13,10	A 0,074
725110A	110	4	11,53	A 0,074

COUPLING
PŘÍMÁ SPOJKA
MANCHON



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
701016A	16	50	3,80	C 0,019
701020A	20	50	3,55	C 0,019
701025A	25	40	3,70	C 0,019
701032A	32	25	3,66	C 0,019
701040A	40	13	3,26	C 0,019
701050A	50	15	6,09	B 0,037
701063A	63	17	13,04	A 0,074
701075A	75	14	14,72	A 0,074
701090A	90	8	13,10	A 0,074
701110A	110	4	11,53	A 0,074

REDUCING COUPLING
SPOJKA PŘÍMÁ REDUKOVANÁ
MANCHON RÉDUIT



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
702020A	20-16	45	3,31	C 0,019
702024A	25-16	45	3,77	C 0,019
702025A	25-20	45	3,68	C 0,019
702031A	32-20	30	3,27	C 0,019
702032A	32-25	30	3,59	C 0,019
702039A	40-25	18	3,18	C 0,019
702040A	40-32	18	3,58	C 0,019
702049A	50-32	22	6,37	B 0,037
702050A	50-40	20	6,56	B 0,037
702062A	63-40	20	10,59	A 0,074
702063A	63-50	20	11,91	A 0,074
702075A	75-63	14	13,08	A 0,074
702090A	90-75	8	11,14	A 0,074
702110A	110-90	5	11,73	A 0,074

FEMALE ADAPTER
SPOJKA S VNITŘNÍM ZÁVITEM
RACCORD FEMELLE



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
703016A	16-1/2"	90	4,68	C 0,019
703017A	16-3/4"	90	4,68	C 0,019
703020A	20-1/2"	90	5,00	C 0,019
703022A	20-3/4"	90	5,50	C 0,019
703024A	25-1/2"	60	3,84	C 0,019
703025A	25-3/4"	60	3,84	C 0,019
703027A	25-1"	60	4,80	C 0,019
703031A	32-3/4"	35	3,40	C 0,019
703032A	32-1"	35	3,40	C 0,019
703033A	32-1 1/4"	35	3,40	C 0,019
703039A	40-1"	25	4,00	C 0,019
703040A	40-1 1/4"	22	3,60	C 0,019
703050A	50-1 1/2"	27	6,94	B 0,037
703063A	63-2"	30	14,44	A 0,074
703075A	75-2 1/2"	20	12,94	A 0,074
703090A	90-3"	12	12,49	A 0,074
703110A	110-4"	6	9,96	A 0,074

MALE ADAPTER
SPOJKA S VNĚJŠÍM ZÁVITEM
RACCORD MALE



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
704016A	16-1/2"	90	3,76	C 0,019
704017A	16-3/4"	90	3,80	C 0,019
704020A	20-1/2"	90	3,58	C 0,019
704021A	20-3/4"	90	3,57	C 0,019
704024A	25-1/2"	60	3,06	C 0,019
704025A	25-3/4"	60	3,16	C 0,019
704026A	25-1"	60	3,24	C 0,019
704031A	32-3/4"	45	3,56	C 0,019
704032A	32-1"	45	3,72	C 0,019
704033A	32-1 1/4"	45	3,89	C 0,019
704039A	40-1"	23	3,19	C 0,019
704040A	40-1 1/4"	23	3,32	C 0,019
704041A	40-1 1/2"	22	3,30	C 0,019
704049A	50-1 1/4"	30	6,60	B 0,037
704050A	50-1 1/2"	30	6,81	B 0,037
704051A	50-2"	27	6,14	B 0,037
704062A	63-1 1/2"	34	14,49	A 0,074
704063A	63-2"	34	14,49	A 0,074
704074A	75-2"	20	12,59	A 0,074
704075A	75-2 1/2"	20	12,25	A 0,074
704076A	75-3"	20	12,25	A 0,074
704090A	90-3"	12	11,50	A 0,074
704110A	110-4"	6	10,00	A 0,074

END CAP
ZÁSLEPKA
BOUCHON



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
705016A	16	125	4,97	C 0,019
705020A	20	125	4,71	C 0,019
705025A	25	75	3,70	C 0,019
705032A	32	50	3,96	C 0,019
705040A	40	24	3,24	C 0,019
705050A	50	30	6,56	B 0,037
705063A	63	34	14,23	A 0,074
705075A	75	23	14,28	A 0,074
705090A	90	16	15,51	A 0,074
705110A	110	8	13,33	A 0,074

90° ELBOW
KOLENO 90°
COUDE 90°



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
706016A	16	45	3,76	C 0,019
706020A	20	45	3,58	C 0,019
706025A	25	35	3,55	C 0,019
706032A	32	20	3,26	C 0,019
706040A	40	12	3,40	C 0,019
706050A	50	12	5,45	B 0,037
706063A	63	14	12,65	A 0,074
706075A	75	9	10,76	A 0,074
706090A	90	6	11,68	A 0,074
706110A	110	3	10,04	A 0,074

90° REDUCING ELBOW
KOLENO REDUKOVANÉ 90°
COUDE 90° REDUIT



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
726024A	25-16	35	3,55	C 0,019
726025A	25-20	35	3,55	C 0,019
726032A	32-25	20	3,26	C 0,019

**90° ELBOW WITH THREADED
 MALE OFFTAKE**
KOLENO 90° S VNĚJŠÍM ZÁVITEM
COUDE 90° MALE



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
707016A	16-1/2"	70	3,74	C 0,019
707020A	20-1/2"	70	3,74	C 0,019
707021A	20-3/4"	70	3,74	C 0,019
707024A	25-1/2"	40	3,09	C 0,019
707025A	25-3/4"	40	2,84	C 0,019
707031A	32-3/4"	30	3,90	C 0,019
707032A	32-1"	30	3,81	C 0,019
707039A	40-1"	15	3,01	C 0,019
707040A	40-1 1/4"	15	3,01	C 0,019
707050A	50-1 1/2"	18	6,24	B 0,037
707063A	63-2"	20	12,68	A 0,074

**90° ELBOW WITH THREADED
 FEMALE OFFTAKE**
KOLENO 90° S VNITŘNÍM ZÁVITEM
COUDE FEMELLE



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
708016A	16-1/2"	70	4,37	C 0,019
708020A	20-1/2"	70	4,04	C 0,019
708021A	20 3/4"	70	4,04	C 0,019
708024A	25-1/2"	40	3,38	C 0,019
708025A	25-3/4"	40	3,03	C 0,019
708026A	25-1"	30	3,03	C 0,019
708031A	32-3/4"	30	4,24	C 0,019
708032A	32-1"	30	3,72	C 0,019
708039A	40-1"	15	3,49	C 0,019
708040A	40-1 1/4"	15	3,11	C 0,019
708050A	50-1 1/2"	18	6,45	B 0,037
708063A	63-2"	20	13,41	A 0,074
708075A	75-2 1/2"	14	11,97	A 0,074
708090A	90-3"	8	11,25	A 0,074
708110A	110-4"	4	9,20	A 0,074

90° TEE
T KUS 90°
TE EGAL



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
709016A	16	30	3,76	C 0,019
709020A	20	30	3,46	C 0,019
709025A	25	20	2,95	C 0,019
709032A	32	12	2,88	C 0,019
709040A	40	6	2,46	C 0,019
709050A	50	8	5,26	B 0,037
709063A	63	10	12,85	A 0,074
709075A	75	6	11,11	A 0,074
709090A	90	4	11,61	A 0,074
709110A	110	1	4,80	A 0,074

90° TEE WITH THREADED FEMALE OFFTAKE
T KUS 90° S VNITŘNÍM ZÁVITEM
TE A TARAUDAGE CENTRAL



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
710016A	16-1/2"	40	4,21	C 0,019
710020A	20-1/2"	40	3,72	C 0,019
710021A	20 3/4"	40	3,72	C 0,019
710024A	25-1/2"	25	3,26	C 0,019
710025A	25-3/4"	25	3,12	C 0,019
710026A	25-1"	25	3,12	C 0,019
710031A	32-3/4"	15	3,17	C 0,019
710032A	32-1"	15	2,97	C 0,019
710039A	40-1"	10	3,56	C 0,019
710040A	40-1 1/4"	9	2,98	C 0,019
710050A	50-1 1/2"	10	5,76	B 0,037
710063A	63-2"	11	11,59	A 0,074
710075A	75-2 1/2"	10	14,59	A 0,074
710090A	90-3"	4	9,61	A 0,074
710110A	110-4"	2	7,48	A 0,074

90° TEE WITH THREADED MALE OFFTAKE
T KUS 90° S VNĚJŠÍM ZÁVITEM
TE A FILETAGE CENTRAL



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
711016A	16-1/2"	40	3,63	C 0,019
711020A	20-1/2"	40	3,63	C 0,019
711024A	25-1/2"	30	3,44	C 0,019
711025A	25-3/4"	30	3,44	C 0,019
711032A	32-1"	15	2,93	C 0,019
711040A	40-1 1/4"	9	2,98	C 0,019
711050A	50-1 1/2"	10	5,45	B 0,037
711063A	63-2"	12	12,14	A 0,074

WALL SUPPORT
NÁSTĚNKA
APPLIQUE MURALE



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
712016A	16-1/2"	50	3,30	C 0,019
712020A	20-1/2"	50	3,30	C 0,019
712025A	25-3/4"	40	3,45	C 0,019

90° REDUCING TEE
T KUS 90° REDUKOVANÝ
TE REDUIT



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
713024A	25-16	20	2,92	C 0,019
713025A	25-20	20	2,92	C 0,019
713032A	32-25	12	2,75	C 0,019
713040A	40-32	8	3,12	C 0,019
713049A	50-32	8	5,23	B 0,037
713050A	50-40	8	5,23	B 0,037
713063A	63-50	8	9,32	A 0,074

90° TEE WITH DOUBLE FEMALE OFFTAKE
T KUS 90° S DVOJITÝM VNITŘNÍM ZÁVITEM
TE A DOUBLE TARAUDAGE CENTRAL



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
710030A	32x3/4"x3/4"	15	3,58	C 0,019

COMPRESSION FLANGE
PŘÍRUBOVÁ SPOJKA
JOINT A BRIDE



CODE	DIAMETER	DN		WEIGHT x BOX KG	VOLUME x BOX m³
714050A	50	40	10	11,60	B 0,037
714063A	63	50	18	27,46	A 0,074
714075A	75	63	10	19,53	A 0,074
714090A	90	75	8	18,87	A 0,074
714110A	110	90	6	18,40	A 0,074

PE-PE COMPRESSION
KULOVÝ VENTIL PE-PE
COMPRESSION PE-PE



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
141016CA	16	24	-	B 0,036
141020CA	20	75	-	B 0,036
141025CA	25	28	-	B 0,036
141032CA	32	28	-	B 0,036
141040CA	40	12	-	B 0,036
141050CA	50	12	-	B 0,036
141063CA	63	5	-	B 0,036

PE COMPRESSION x MALE BSP THREAD
KULOVÝ VENTIL PE s VNĚJŠÍM ZÁVITEM
COMPRESSION x MALE A VISSER BSP PE



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
147016CMA	16 x 1/2"	-	-	-
147020CMA	20 x 1/2"	-	-	-
147025CMA	25 x 3/4"	-	-	-
147032CMA	32 x 1"	-	-	-
147040CMA	40 x 1 1/4"	-	-	-
147050CMA	50 x 1 1/2"	-	-	-
147063CMA	63 x 2"	-	-	-

PE COMPRESSION x FEMALE BSP THREAD
KULOVÝ VENTIL PE s VNITŘNÍM ZÁVITEM
COMPRESSION PE x FEMELLE A VISSER BSP



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
146016CFA	16 x 1/2"	-	-	-
146020CFA	20 x 1/2"	-	-	-
146025CFA	25 x 3/4"	-	-	-
146032CFA	32 x 1"	-	-	-
146040CFA	40 x 1 1/4"	-	-	-
146050CFA	50 x 1 1/2"	-	-	-
146063CFA	63 x 2"	-	-	-

NBR O'RING
EPDM Ó KROUŽEK
JOINT NBR



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
000516	16	-	-	-
000520	20	-	-	-
000525	25	-	-	-
000532	32	-	-	-
000540	40	-	-	-
000550	50	-	-	-
000563	63	-	-	-
000575	75	-	-	-
000590	90	-	-	-
000511	110	-	-	-

GRIP RING
SVĚRNÝ KROUŽEK
BAGUE DE CRANTAGE



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
000116	16	-	-	-
000120	20	-	-	-
000125	25	-	-	-
000132	32	-	-	-
000140	40	-	-	-
000150	50	-	-	-
000163	63	-	-	-
000175	75	-	-	-
000190	90	-	-	-
000110	110	-	-	-

COMPRESSION RING
ROZPĚRNÝ KROUŽEK
BAGUE DE COMPRESSION



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
000416	16	-	-	-
000420	20	-	-	-
000425	25	-	-	-
000432	32	-	-	-
000440	40	-	-	-
000450	50	-	-	-
000463	63	-	-	-
000475	75	-	-	-
000490	90	-	-	-
000410	110	-	-	-

COMPRESSION NUT
PŘEVLEČNÁ MATICE
ÉCROU DE SERRAGE



CODE	DIAMETER		WEIGHT x BOX KG	VOLUME x BOX m³
000220A	16/20	-	-	-
000225A2	25	-	-	-
000232A2	32	-	-	-
000240A2	40	-	-	-
000250A2	50	-	-	-
000263A2	63	-	-	-
000275A2	75	-	-	-
000290A2	90	-	-	-
000211A2	110	-	-	-